

Lab Use:  
**18034945**

**ELITE NVLAP**

LAB #192683 (CO)  
 LAB #102977 (GA)  
 LAB #163063 (VA)  
 LAB #210229 (AZ)

<b>Aerobiology Client</b>		Collected By/Date: <u>TJP 9/19/18</u> Relinquished By/Date: <u>[Signature] 9/19/18</u>	
Field Contact Reporting Address Billing Address <b>HYGENIX INC.</b> <b>49 Woodside Street</b> <b>Stamford, CT 06902</b>		Relinquished By/Date: <u>[Signature] 9/20/18</u> Received By/Date: <u>[Signature] 9/20/18</u>	
Phone/Fax Reporting Email (s) <u>[Redacted]</u>		Project Name: <u>CMS 091918</u>	
Routine <input checked="" type="radio"/> 24 Hour <input type="radio"/> Same Day <input type="radio"/> 4 Hour <input type="radio"/> 2 Hour <input type="radio"/>		Notes: <u>SD RUSH</u>	
<b>SAMPLING LOCATION ZIP CODE</b>		<b>CC Info:</b>	

Sample No.	Test Code	Sample Location	Total Volume/Area
01	1054	102 32%, 22.5c	75L
02	1054	104 31%, 22.6c	75L
03	1054	106 32%, 21.9c	75L
04	1054	115 32.5%, 24.7c	75L
05	1054	117 33%, 24.0c	75L
06	1054	Gym 113 corner 70%, 25.3	75L
07	1054	Gym locker corner 71%, 25.3	75L
08	1054	H3 Gym/Tiger Hall 75%, 24.7	75L
09	1054	113 74.5%, 24.7	75L
10	1054	114 73.6%, 25.3	75L
11	1054	Boy's locker 68.6%, 26.0	75L
12	1054	Girl's Locker 67.2%, 26.0	75L
13	1054	120 40.3%, 22.6	75L
14	1054	118 46.2%, 21.9	75L

1054	Direct, Non-viable Spore Trap	1015	Culture - WATER Legionella
1051	Direct, Qualitative- Swab/Tape	1017	Culture - SWAB Legionella
1050	Direct, Qualitative- Bulk	1010	WATER - Potable - E. coli/total coliforms
1005	AIR Culture - Bacterial Count w/ ID's	1012	SWAB - E. coli/total coliforms
1030	AIR Culture - Fungal Count w/ ID's	1028	Sewage Screen (E. coli/Enterococcus/fecal coliforms)
1006	SWAB Culture - Bacterial Count w/ ID's	2056	Heterotrophic Plate Count
1031	SWAB Culture - Fungal Count w/ ID's	3001	ASBESTOS - Point count
1008	BULK Culture - Bacterial Count w/ ID's	3002	ASBESTOS - PLM Analysis
1033	BULK Culture - Fungal Count w/ ID's	3003	ASBESTOS - Particle characterization
1007	WATER Culture - Bacterial Count w/ID's	3004	ASBESTOS - PCM Analysis

7184 North Park Drive, Pennsauken, NJ 08109 - (856) 486-1177 Fax (856) 486-0005 - email: info@purearthlab.com  
 2400 Herodian Way, Suite 190, Smyrna, GA 30080 - (866) 620-9313 Fax (770) 947-2938 - email: ATL@aerobiology.net  
 760 Simms Street, Suite 104, Golden, CO 80401 - (866) 620-9348 Fax (303) 232-0283 - email: denver@aerobiology.net  
 43760 Trade Center Place, Suite 100, Dulles, VA 20166 - (877) 648-9150 Fax (877) 598-0946 - email: info@aerobiology.net  
 15061 Springdale Street, Suite 111, Huntington Beach, CA 92649 - (714) 895-8401 - (866) 895-8132 - email: social@aerobiology.net  
 2228 West Northern Avenue, Suite B110, Phoenix, AZ 85021 - (855) 738-5619 Fax (602) 441-2818 - email: phoenix@aerobiology.net

Lab Use:  
**18034945**

**ELITE**  
 NVLAP  
 AZ, CO, GA, VA, NJ  
 NVLAP Lab Code 200860-0 (CO)  
 NVLAP Lab Code 200829-0 (VA)  
 NVLAP Lab Code 500097-0 (AZ)  
 LAB #192683 (CO)  
 LAB #102977 (GA)  
 LAB #163063 (VA)  
 LAB #210229 (AZ)

<b>Aerobiology Client</b>		<b>Collected By/Date:</b> TJD 9/12/18		<b>Relinquished By/Date:</b> CNO 9-20-18	
<b>Field Contact</b>	<b>HYGENIX INC.</b> <b>49 Woodside Street</b> <b>Stamford, CT 06902</b>	<b>Relinquished By/Date:</b> TJD 9/19/18		<b>Received By/Date:</b> CNO 9-20-18	
<b>Reporting Address</b>		<b>Sampler Type</b>	Andersen SAS	<b>Sample Aire</b>	Other BioCulture
<b>Billing Address</b>		<b>PO#/Job#:</b> Hygenix - See sheet		<b>Project Name:</b> #1	
<b>Phone/Fax</b>	<b>Routine</b> <input checked="" type="radio"/> <b>24 Hour</b> <input type="radio"/> <b>Same Day</b> <input type="radio"/> <b>4 Hour</b> <input type="radio"/> <b>2 Hour</b> <input type="radio"/> <b>5 Day (Asbestos Only)</b> <input type="radio"/>		<b>Notes:</b> RUSH SD.		
<b>Reporting Email(s)</b>	<b>SAMPLING LOCATION ZIP CODE</b>		<b>GC Info:</b>		

Sample No.	Test Code	Sample Location	Total Volume/Area
15	1054	122 45.3% 21.9	75L
16	1054	cust closet 7th 51.1% 21.6	75L
17	1054	123 42.3% 21.2	75L
18	1054	130 46.2% 20.5	75L
19	1054	133 43.7% 20.5	75L
20	1054	MO. (S) 67.7% 22.6	75L
21	1054	MO. (conf) 69.1% 22.6	75L
22	1054	main entrance 56.4% 23.3	75L
23	1054	228 56.0% 22.6	75L
24	1054	225 53.0% 21.9	75L
25	1054	Tech storage 66% 21.2	75L
26	1054	PTA closet 61.8% 22.6	75L
27	1054	outdoor 61% 82F'	75L

1054	Direct, Non-viable Spore Trap	1015	Culture - WATER Legionella
1051	Direct, Qualitative- Swab/Tape	1017	Culture - SWAB Legionella
1050	Direct, Qualitative- Bulk	1010	WATER - Potable - E. coli/total coliforms
1005	AIR Culture - Bacterial Count w/ ID's	1012	SWAB - E. coli/total coliforms
1030	AIR Culture - Fungal Count w/ ID's	1028	Sewage Screen (E. coli/Enterococcus/fecal coliforms)
1006	SWAB Culture - Bacterial Count w/ ID's	2056	Heterotrophic Plate Count
1031	SWAB Culture - Fungal Count w/ ID's	3001	ASBESTOS - Point count
1008	BULK Culture - Bacterial Count w/ ID's	3002	ASBESTOS - PLM Analysis
1033	BULK Culture - Fungal Count w/ ID's	3003	ASBESTOS - Particle characterization
1007	WATER Culture - Bacterial Count w/ID's	3004	ASBESTOS - PCM Analysis

7184 North Park Drive, Pennsauken, NJ 08109 - (856) 486-1177 Fax (856) 486-0005 - email: info@pureearthlab.com  
 2400 Herodian Way, Suite 190, Smyrna, GA 30080 - (866) 620-9313 Fax (770) 947-2938 - email: ATL@aerobiology.net  
 780 Simms Street, Suite 104, Golden, CO 80401 - (866) 620-9348 Fax (303) 232-0283 - email: denver@aerobiology.net  
 43760 Trade Center Place, Suite 100, Dulles, VA 20166 - (877) 648-9150 Fax (877) 598-0946 - email: info@aerobiology.net  
 15061 Springdale Street, Suite 111, Huntington Beach, CA 92649 - (714) 895-8401 - (866) 895-8132 - email: social@aerobiology.net  
 2228 West Northern Avenue, Suite B110, Phoenix, AZ 85021 - (855) 738-5619 Fax (602) 441-2818 - email: phoenix@aerobiology.net

Lab Use:  
**18034945**

**ELITE**



LAB #192683 (CO)  
 LAB #182277 (GA)  
 LAB #163063 (VA)  
 LAB #210229 (AZ)

AZ, CO, GA, VA, NJ

NVLAP Lab Code Z00860-0 (CO)  
 NVLAP Lab Code Z00828-0 (VA)  
 NVLAP Lab Code S00897-0 (AZ)

<b>Aerobiology Client</b>		<b>Collected By/Date:</b> Zhu-Nate 9/19		<b>Relinquished By/Date:</b> [Signature] 9/19	
<b>Field Contact Reporting Address Billing Address:</b>		<b>Relinquished By/Date:</b>		<b>Received By/Date:</b> [Signature] 9/20/18	
<b>HYGENIX INC. 49 Woodside Street Stamford, CT 06902</b>		<b>Sampler Type:</b> Andersen SAS		<b>Sample/Aire:</b> Aero Trap	
<b>Phone/Fa Reportin Email (s):</b> t Ho @ hygenix.com		<b>PO#/Job#:</b> HV/GCAIX-		<b>Project Name:</b> cms 091918	
<b>Routine:</b> <input checked="" type="radio"/> 24 Hour <input type="radio"/> Same Day <input type="radio"/> 4 Hour <input type="radio"/> 2 Hour		<b>5 Day (Autoclave Only)</b>		<b>Notes:</b> SP RUSH	
<b>SAMPLING LOCATION ZIP CODE</b>			<b>CC Info:</b>		

Sample No.	Test Code	Sample Location	Total Volume/Area
28	1054	Rm. 239	60.4% 75L
29	1054	Kitchen	62.5% 75L
30	1054	Rm 229A	66.2% 75L
31	1054	Rm 229B	66.7% 75L
32	1054	Rm 229D	70.8% 75L
33	1054	Rm 229E	71.1% 75L
34	1054	Rm 229F	70.6% 75L
35	1054	Rm 229G	70.4% 75L
36	1054	Rm 229H	70.1% 75L
37	1054	Rm 229I	70.1% 75L
38	1054	Rm 229J	69.8% 75L
39	1054	Rm 229K	69.6% 75L
40	1054	Rm 229L	69.1% 75L
41	1054	R 221	49.6% 75L

1054	Direct, Non-viable Spore Trap	1015	Culture - WATER Legionella
1051	Direct, Qualitative- Swab/Tape	1017	Culture - SWAB Legionella
1050	Direct, Qualitative- Bulk	1010	WATER - Potable - E. coli/total coliforms
1005	AIR Culture - Bacterial Count w/ ID's	1012	SWAB - E. coli/total coliforms
1030	AIR Culture - Fungal Count w/ ID's	1028	Sewage Screen (E. coli/Enterococcus/fecal coliforms)
1006	SWAB Culture - Bacterial Count w/ ID's	2056	Heterotrophic Plate Count
1031	SWAB Culture - Fungal Count w/ ID's	3001	ASBESTOS - Point count
1008	BULK Culture - Bacterial Count w/ ID's	3002	ASBESTOS - PLM Analysis
1033	BULK Culture - Fungal Count w/ ID's	3003	ASBESTOS - Particle characterization
1007	WATER Culture - Bacterial Count w/ID's	3004	ASBESTOS - PCM Analysis

Lab Use:  
 18034945

ELITE

NVLAP

AZ, CO, GA, VA, NJ

NVLAP Lab Code 200880-0 (CO)  
 NVLAP Lab Code 200829-0 (VA)  
 NVLAP Lab Code 500097-0 (AZ)

LAB #192683 (CO)  
 LAB #102977 (GA)  
 LAB #163063 (VA)  
 LAB #210229 (AZ)

Aerobiology Client		Collected By/Date: <u>Nak 9/19</u> Relinquished By/Date: <u>AKC 9/19</u>	
Field Contact Reporting Address Billing Address: <b>HYGENIX INC. 49 Woodside Street Stamford, CT 06902</b>		Refinanced By/Date: <u>AKC 9/19</u> Received By/Date: <u>AKC 9/20/18</u>	
Phone/Fax Reportin Email (s): <u>T710@Hygenix.com</u>		Sampler Type: <u>Andersen SAS</u> <u>Sample Aire Aero Trap</u> <u>Other BioCulture</u>	
<input checked="" type="radio"/> 24 Hour <input type="radio"/> Same Day <input type="radio"/> 4 Hour <input type="radio"/> 2 Hour		PO#/Job#: <u>HYGENIX -</u> Project Name: <u>CMS 091918</u>	
<input type="radio"/> 5 Day (Asbestos Only) Notes: <u>SD TAT</u>		SAMPLING LOCATION ZIP CODE: _____ CC Info: _____	

Sample No.	Test Code	Sample Location	Total Volume/Area
42	1054	Rm 212	63.3% 75L
43	1054	Rm 211	60.3% 75L
44	1054	Rm 210	46.3% 75L
45	1054	Rm 209	45.5% 75L
46	1054	Rm 208	60.8% 75L
47	1054	Rm 206B	52.3% 75L
48	1054	Rm 203	53.5% 75L
49	1054	Rm 231	65.4% 75L
50	1054	Rm 232	62.4% 75L
51	1054	Rm 233	65.7% 75L
52	1054	Rm 234	68.2% 75L
53	1054	Rm 235	52.5% 75L
54	1054	Rm 236	56.9% 75L
55	1054	Rm 236	56.9% 75L

1054	Direct, Non-viable Spore Trap	1015	Culture - WATER Legionella
1051	Direct, Qualitative- Swab/Tape	1017	Culture - SWAB Legionella
1050	Direct, Qualitative- Bulk	1010	WATER - Potable - E. coli/total coliforms
1005	AIR Culture - Bacterial Count w/ ID's	1012	SWAB - E. coli/total coliforms
1030	AIR Culture - Fungal Count w/ ID's	1028	Sewage Screen (E. coli/Enterococcus/fecal coliforms)
1006	SWAB Culture - Bacterial Count w/ ID's	2056	Heterotrophic Plate Count
1031	SWAB Culture - Fungal Count w/ ID's	3001	ASBESTOS - Point count
1008	BULK Culture - Bacterial Count w/ ID's	3002	ASBESTOS - PLM Analysis
1033	BULK Culture - Fungal Count w/ ID's	3003	ASBESTOS - Particle characterization
1007	WATER Culture - Bacterial Count w/ID's	3004	ASBESTOS - PCM Analysis

Lab Use:  
**18034945**

**ELITE** **NVLAP**  
 NVLAP Lab Code 200860-0 (CO)  
 NVLAP Lab Code 200829-0 (VA)  
 NVLAP Lab Code 500097-0 (AZ)  
 LAB #192683 (CO)  
 LAB #182977 (GA)  
 LAB #163063 (VA)  
 LAB #210229 (AZ)

<b>Aerobiology Client</b>		<b>HYGENIX INC.</b> 49 Woodside Street Stamford, CT 06902	
Field Contact Reporting Address Billing Address	Phone/Fax Reportin Email (s)	Collected By/Date: <u>Mike Nade 9/19</u>	Relinquished By/Date: <u>[Signature] 9/19</u>
Routine <input checked="" type="radio"/> 24 Hour <input type="radio"/> Same Day <input type="radio"/> 4 Hou <input type="radio"/> 2 Hou <input type="radio"/> 5 Day (Aerobes Only)		Relinquished By/Date:	Received By/Date: <u>[Signature] 9.20.08</u>
SAMPLING LOCATION ZIP CODE		PO#/Job#: <u>HYGENIX-</u>	Project Name: <u>CM5091918</u>
		Notes: <u>SD Rush</u>	CC Info:

56  
57  
58  
59  
09/19/08

Sample No.	Test Code	Sample Location	Total Volume/Area
1	1054	Rm 217	50.5% 75L
2	1054	Rm 216	49.8% 75L
3	1054	119 tunnel	70.5% 75L
4	1054	Gym tunnel	70.3% 75L
5	1051	Crawl Space pipe insulation	---
6	1051	Crawl Space pipe insulation	---
7			
8			
9			
10			
11			
12			
13			
14			

1054	Direct, Non-viable Spore Trap	1015	Culture - WATER Legionella
1051	Direct, Qualitative- Swab/Tape	1017	Culture - SWAB Legionella
1050	Direct, Qualitative- Bulk	1010	WATER - Potable - E. coli/total coliforms
1005	AIR Culture - Bacterial Count w/ ID's	1012	SWAB - E. coli/total coliforms
1030	AIR Culture - Fungal Count w/ ID's	1028	Sewage Screen (E. coli/Enterococcus/fecal coliforms)
1006	SWAB Culture - Bacterial Count w/ ID's	2056	Heterotrophic Plate Count
1031	SWAB Culture - Fungal Count w/ ID's	3001	ASBESTOS - Point count
1008	BULK Culture - Bacterial Count w/ ID's	3002	ASBESTOS - PLM Analysis
1033	BULK Culture - Fungal Count w/ ID's	3003	ASBESTOS - Particle characterization
1007	WATER Culture - Bacterial Count w/ID's	3004	ASBESTOS - PCM Analysis

7184 North Park Drive, Pennsauken, NJ 08109 - (856) 486-1177 Fax (856) 486-0005 - email: info@pureearthlab.com  
 2400 Herodlan Way, Suite 190, Smyrna, GA 30080 - (866) 620-9313 Fax (770) 947-2938 - email: ATL@aerobiology.net  
 780 Simms Street, Suite 104, Golden, CO 80401 - (866) 620-9348 Fax (303) 232-0283 - email: denver@aerobiology.net  
 43760 Trade Center Place, Suite 100, Dulles, VA 20166 - (877) 648-9150 Fax (877) 598-0946 - email: info@aerobiology.net  
 15061 Springdale Street, Suite 111, Huntington Beach, CA 92649 - (714) 895-8401 - (866) 895-8132 - email: social@aerobiology.net  
 2228 West Northern Avenue, Suite B110, Phoenix, AZ 85021 - (855) 738-5619 Fax (602) 441-2818 - email: phoenix@aerobiology.net